

Main panel

POISON

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

**Surefire[®] Broma
Grain Bait
RODENTICIDE**



ACTIVE CONSTITUENT: 0.05g/kg BROMADIOLONE

Ready to use grain bait for the control of rats and mice.

NET CONTENTS (Range 500g - 15 kg)

PCT Holdings Pty Ltd

[®] Surefire is a registered trademark of PCT International Pty Ltd
(PCT Holdings Pty Ltd ABN 11 099 023 962)
1/74 Murdoch Circuit
ACACIA RIDGE QLD 4110
<http://pct.au.com>

CUSTOMER SERVICE FREECALL 1800 630 877

Ancillary panel

DIRECTIONS FOR USE:

RESTRAINTS

DO NOT exceed 3 m between bait stations for mice, or 9 m for rats.

DO NOT place bait stations in open.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Apply where pests occur in and around industrial commercial, agricultural and domestic buildings.	Rats	150 g per bait tray	Put measured quantity of bait in suitable containers, ie bait trays. Protect baits from water where possible. BAITING STRATEGY- Eliminate as far as practicable, all alternative food sources. Bait infested area. Place baits under cover. Inspect baits daily. Replace eaten baits. If eaten quickly increase number of baits. Continue observation and replenishment until no more baits are taken. Baiting for 2 weeks is necessary to reduce rat/mouse numbers.
	Mice	50 g per bait tray	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

THE USE OF THIS PRODUCT FOR THE CONTROL OF PROTECTED NATIVE RODENTS REQUIRES PERMISSION FROM WILDLIFE AUTHORITIES.

GENERAL INSTRUCTIONS

PRECAUTION: DO NOT allow bait to contaminate foodstuffs or food intended for human or animal consumption. Do not apply bait to crops.

Place baits in locations which are inaccessible to other animals and birds. This product is hazardous to pigs, cats, dogs, native wildlife and poultry.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: DO NOT contaminate streams, rivers or waterways with the chemical or used containers. Place baits in locations inaccessible to animals other than target animals. The product is restricted to use in and around buildings (within 2 metres) or enclosed spaces.

STORAGE AND DISPOSAL: Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight.

If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers and product.

Dispose of carcasses safely by burning or burying in an approved landfill.

SAFETY DIRECTIONS: Poisonous if swallowed. Do not inhale dust. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not touch bait. Use scoop or measure. If on skin and after each baiting, wash thoroughly with soap and water.

Ancillary panel continued

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre.
Phone Australia 13 1126. Vitamin K₁ (PHYTOMENADIONE) is antidotal.

MSDS

For further information please refer to the Material Safety Data Sheet which can be obtained from the supplier.

CONDITIONS OF SALE

The use of Surefire Broma Grain Bait Rodenticide is beyond the control of the manufacturer. Therefore, no warranty, expressed or implied is given by PCT HOLDINGS PTY LTD regarding its suitability or efficacy for any purpose. PCT HOLDINGS PTY LTD cannot accept any responsibility for any consequence whatsoever resulting from the use of this product, save for those nonexcludable conditions implied by the Trade Practices Act, 1974.

APVMA Approval No. 67142 / 55303

Batch No.

D.O.M.

Bar code