



nemesis


termite bait

ACTIVE CONSTITUENT: 1.0g/kg CHLORFLUAZURON

An insect development inhibitor type insecticide for use as part of a termite interception and baiting system, an integrated system for the management of subterranean termite infestations (except Mastotermes darwiniensis).

Net Contents: 100 grams

PCT
Holdings Pty Ltd



APVMA Approval No: 58922/51352

®NEMESIS is a registered trademark of PCT INTERNATIONAL PTY LTD
(PCT Holdings Pty Ltd ABN 11 099 023 962)
1/74 Murdoch Cir, Acacia Ridge QLD 4110 • <http://nemesis.au.com>
CUSTOMER SERVICE FREECALL 1800 630 877
EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877

Directions for Use:

Nemesis Termite Bait must be used only as part of an integrated termite management program by termite specialists approved by PCT Holdings Pty Ltd.

Situation	Pest	Rate	Critical Comments
For use in Integrated Termite Management Programs in and around residential and commercial properties, including food handling establishments and other areas where termite presence can be detected, eg fences, utility poles, trees, bridges, wharves and landscape structures in all areas of Australia except Tasmania.	Subterranean and arboreal termites (except <i>Mastotermes darwiniensis</i>)	Mix 100 g of bait matrix with 300-400 mL of clean water. Up to 100 mL additional water may be added if conditions are hot and dry.	Do not use water that has been chlorinated or contaminated in any way. Stir until paste of uniform consistency is achieved. Add bait as necessary to approved bait stations or directly into termite workings. Replenish as required. When handling the bait matrix wear disposable latex rubber gloves to ensure odours or contaminants that may deter termite feeding are not transferred to the bait matrix. Note: 300 mL of bait matrix equals 100 g
Utility poles (eg transmission/ power poles)		Mix 100 g of bait matrix with up to 400 mL of clean water.	The amount of water required may depend on the moisture present at the site of activity. Bait in sachets without water can be used on relatively dry timber such as utility poles. In-ground bait stations may require 300-400 mL of water. Mixing can be done within the sachet itself or another container. Add bait as necessary to bait stations or directly into termite workings. The sachet can be a bait station and placed directly onto termite activity, with the sachet cut on the side attaching to the timber to allow termite entry. In exposed above-ground situations bait stations or other protection should be used to ensure bait remains in place. When treating infested timbers, small amounts of water/bait mix may be placed directly into the termite workings to encourage feeding.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL
 UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

GENERAL INSTRUCTIONS

Nemesis Termite Bait may be used in the original sachet in which it is supplied. It may also be applied directly on termite workings in the sachet (where the sachet becomes a station), or the sachet may be placed in in-ground or in above-ground stations. Make incisions into the bag to enable termite entry. Align this entry point with the active termite workings. Most stations have sufficient volume to contain 1 to 2 sachets of bait.

Nemesis in-ground stations are designed to intercept foraging termites with timber interceptors and to concentrate their feeding in the stations. In-ground stations containing timber interceptors are embedded in the soil around the perimeter of the building at intervals of 3 – 5 metres. Station placement is focused in areas where termites are most likely to be found foraging. These Stations are inspected on a regular basis at approximately 8 to 12 week intervals until termites are intercepted. (Inspections are more frequent during the warmer summer months and first inspection sooner if the building is under termite attack at the time of initial station installation.) At this point, Nemesis bait is added to the Station. Baited Stations should be inspected every 3 – 8 weeks with the more frequent inspections occurring during the initial stages of termite feeding.

When the colony has been eliminated, the Nemesis bait and sachet should be removed and fresh timber interceptors are placed in the stations. These stations should continue to be monitored on a regular basis.

Nemesis above-ground stations are used where live termites are feeding within a building. Above-ground stations containing sachets of Nemesis are installed on areas of termite feeding. These are removed once the colony has been eliminated, or if no feeding occurs. Bait may also be placed directly into termite workings.

Nemesis above-ground stations should be inspected at least 3 – 6 weekly with the more frequent inspections occurring during the initial stages of termite feeding. Bait is replenished or moistened slightly with clean water to maintain its attractiveness in feeding stations.

Termite Management

To minimize the risk of termite infestation, the subfloor area of buildings should be kept free of any stored product that contains cellulose and any other building materials that attract termites. Appropriate actions should also be taken to eliminate any undue dampness caused by leaking water or sewerage pipes, or inadequate drainage.

Service Requirement

In and around buildings: Regular, competent inspections by a licensed Pest Manager are recommended as part of an overall termite management program to determine the prevailing termite pressure and environmental conditions and consequent requirement for further termite management options. Inspections should be performed at least on an annual basis, but more frequent inspections are strongly recommended.

Utility poles: Do not disturb baits on poles for at least 12 weeks to encourage termite consumption. Baits may be left for extended periods of time without monitoring, ie until the next scheduled visit. In these situations two sachets may be required to provide sufficient bait to control termites present.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to aquatic arthropods. DO NOT contaminate streams, rivers or waterways with the chemical or used sachets. DO NOT place Nemesis in any area where, because of movement of water, it could be washed into a body of water containing aquatic life, such as ponds or streams.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight.

Single rinse before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots.

Puncture and bury empty containers and dispose of unused bait in a local authority landfill. If no landfill is available, bury the containers or unused bait below 500mm in a disposal pit. Empty containers and product should not be burnt.

SPILLS

Sweep up material and wrap in paper. Dispose of as above. Prevent entry of spilled matter into drains and waterways.

FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre (PHONE AUSTRALIA 131126)

MATERIAL SAFETY DATA SHEET

Additional information is listed on the Material Safety Data Sheet which is available from PCT Holdings Pty Ltd on request. Call Customer Service Toll Free on 1800 630 677 or visit our web site at <http://nemesis.au.com>

NOTICE

PCT Holdings Pty Ltd warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the of the product contrary to label instructions or under off-label permits not endorsed by PCT Holdings Pty Ltd or under abnormal conditions.